


# LONGI Hi-MO 7

## 560 watt

# Solar Panel



### DATASHEET / SPECIFICATIONS

NAME	DETAIL	NAME	DETAIL
Brand	LONGI	Tier Quality	Tier 1
Panel Wattage	560 watt - Hi MO 7	Fire Rating	UL Type 2, IEC Class C
Cell Type	Mono Perc Half Cut 144 (6x24)	Glass	Dual, 2.0mm + 2.0mm Heat Strengthened Glass
Year 2-30 Power Degradation	< 0.4%	Frame	Aluminium Alloy Anodized
Max. Module Efficiency	22.8%	Solar Junction Box	IP68, 3 Bypass Diodes
Open Circuit Voltage	50.99 volt	Bifaciality	80(+/-5%)
Short Circuit Current	13.89 Ampere	Power Output Tolerance	0 ~ 3%
Current at Max. Power	13.08 Ampere	Weight	31.8 kg
Operating Temperature	-40°C ~ +85°C	Height	89.68 inches
Voltage at Max. Power	42.82 (Vmp/A)	Width	44.64 inches
Max. Series Fuse Rating	30 Ampere	Depth	1.18 inches
Protection Class	Class II	Warranty	12 Years (Material), 30 Years (Performance)

For Price & More Info. Visit:



[WWW.PRICECITY.COM.PK](http://WWW.PRICECITY.COM.PK)

Scan QR




\*Disclaimer at website.

# LONGI Hi MO 7

## 560 watt Solar Panel

### FEATURES

- Excellent performance PV module
- Advanced HPDC module technology
- <1% First-Year power degradation
- Best power temperature coefficient
- Heavy snow load
- High bifaciality
- 0.4% year 2-30 power degradation
- Module efficiency up to 22.8%
- Minimize micro-crack impacts
- Tier-1 quality
- Class-A application classification
- Long term performance
- Longi lifecycle technology



For Price & More Info. Visit:



[WWW.PRICECITY.COM.PK](http://WWW.PRICECITY.COM.PK)

Scan  
QR



\*Disclaimer at website.